

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	("6523102" "6199126" "10010001872" "20030191903" "5732202").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 16:00
L2	166	(schedul\$3 or arrang\$5) with request\$3 with compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 16:01
L3	141	2 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 16:06
L4	0	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 16:06
L5	1	1 and schedul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 16:06

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"6735673"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 08:50
S2	24	cache near2 line near2 compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 15:21
S3	18	S2 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 08:53
S4	209	cache near2 compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 15:48
S5	38	cache near5 compress\$3 near5 map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 15:48
S6	32	S5 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:34
S7	12	(stor\$3 or record\$3 or sav\$3 or writ\$3) with (compressed near2 (cache adj lines)) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:49
S8	10	S7 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 06:54

## EAST Search History

S9	8	(stor\$3 or record\$3 or sav\$3 or writ\$3) with memory with (compressed adj (cache adj lines))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:57
S10	34	adl-tabatabai-ali-reza.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:58
S11	22	((cache adj line) with compress\$3). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 17:59
S12	7	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 18:10
S13	18	S11 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 16:02
S14	2	"20030135694"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 18:35
S15	8	"6199126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 19:02
S16	2	"20040030847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 19:07

## EAST Search History

S17	6	"6553411"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 19:10
S18	3	"20030063676"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/22 19:10
S19	52434	compress\$3 near2 type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 12:53
S20	14	cache with compress\$3 near2 type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:13
S21	11	S20 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:15
S22	931	cache and (compress\$3 near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:14
S23	91	S22 and (cache adj (line or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 13:14
S24	80	S23 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 10:30

## EAST Search History

S25	0	(storing or writing) with compress\$3 near5 "into" near5 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 10:31
S26	209	(storing or writing) with compress\$3 near5 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 10:31
S27	174	S26 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 11:14
S28	74	S27 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 11:04
S29	7	identif\$7 with (compressed adj cache adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 11:08
S30	4	S29 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 11:05
S31	27	(identif\$7 or indicat\$3 or flag) with (compressed adj cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/27 06:53
S32	22	S31 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 11:14

## EAST Search History

S34	3	"6735673"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 13:44
S35	2	"6640283"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 13:46
S36	2	reduc\$3 near5 number near5 line near5 cache near5 compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/25 15:54
S37	2	"20010054131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 15:57
S38	24	("20010054131" "5652857" "6507895" "20040255209" "5206939" "6449689" "6115787" "20020116567" "20020991905" "6629205" "5875454" "5237675" "6145069").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:00
S39	14	S38 and (compress\$3 with (map\$4 or table or directory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:21
S40	8	S38 and (compress\$3 with (map\$4 or table or directory) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 07:09
S41	30	"5652857"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:21

## EAST Search History

S42	12	S41 and (compress\$3 with (map\$4 or table or directory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:22
S43	6	S41 and (compress\$3 with (map\$4 or table or directory) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:24
S44	0	compression\$1map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:25
S45	667	compression near2 map\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:25
S46	5	compression near2 map\$3 near5 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:25
S47	1	S46 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/25 16:26
S54	9	cache with (compression near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 07:40
S56	6	(identif\$7 or indicat\$3 or mark\$3) with cache with (compression near5 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 07:41

## EAST Search History

S57	3	S56 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 07:47
S58	36	cache with directory with compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 07:47
S59	34	S58 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 07:47
S60	23	"5826054"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 09:04
S61	11	"6216213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 09:04
S62	2	"20050144388".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 23:02
S63	1758	compression\$1type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 23:48
S64	4	S63 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 23:49



## EAST Search History

S65	3	S64 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 00:02
S66	2	S63 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 23:52
S67	78	compression with (type or format) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 00:01
S68	68	S67 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/27 23:53
S69	45	compression near2 (type or format) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 00:02
S70	9	compression near2 (type) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 00:02
S71	6	S70 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 00:02
S72	46	(memory near2 (controller or manag\$5)) with (indicat\$3 or identif\$7 or flag or bit) near5 compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 09:37

## EAST Search History

S73	42	S72 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 09:40
S74	9	compression near2 (type) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 09:16
S75	0	(memory near2 (controller or manag\$5)) with (indicat\$3 or identif\$7 or flag or bit) with (compression near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 09:37
S79	54	(indicat\$3 or identif\$7 or flag or bit) with (compression near2 type) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 09:39
S80	40	S79 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:45
S81	752	bios with writ\$3 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:52
S82	145	S81 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:53
S83	133	S82 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:54

## EAST Search History

S84	18	S83 and compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:54
S85	267	S81 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:53
S86	244	S85 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 18:30
S87	40	S86 and compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 16:54
S88	3431	queue with scheduler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 18:29
S89	2	S88 and (compression near5 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 18:30
S90	14	S88 and (compression near5 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 18:30
S91	10	S90 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/28 18:30

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S51	1588	cache with compress\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:30
S52	8	newburn-chris\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:26
S53	10	huggahalli-ram\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:27
S54	42	hum-herbert\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:27
S55	11	ghuloum-anwar\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:30
S56	34	adl-tabatabai-ali-reza\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:30
S57	258	(cache with compress\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:31
S58	8	(S52 or S53 or S54 or S55 or S56) and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:50

## EAST Search History

S59	219	S57 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 15:54
S60	17	S59 and (compress\$3 near5 map)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:51
S61	53	S59 and (compress\$3 near5 map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 14:52
S62	49	S61 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 15:28
S63	21	S62 and ((cache or memory) near5 controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 15:53
S64	42	compress\$3 near2 (cache adj lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 15:53
S65	34	S64 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 16:43
S66	0	compressing with (cache near2 (line or block or data or object)) with into near5 (compressed near5 cache near2 (line or block or data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 16:43

## EAST Search History

S67	34	compressing with (cache near2 (line or block or data or object)) with (compressed near5 cache near2 (line or block or data or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 16:43
S68	31	S67 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 16:43